Scanned page 1

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 2

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 3

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 4

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 5

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 6

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 7

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 8

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 9

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.

Scanned page 10

This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards. This is a generated test document for the Rifinit compression benchmark. It contains ordinary body text so the writer has real text to preserve, and so a compressed copy can be checked for searchable text afterwards.